

Pendant light - Horizontal - Fabric cable

Materials:

Powder coated metal, solid polished brass or chrome, glass


Product number:

140OL-P01-BR01 Cone attach. / Brass disc; black attachment 140OL-P01-BR02 Cone attach. / Brass disc; white attachment 140OL-P01-CH01 Cone attach. / Chrome disc; black attachment 140OL-P01-CH02 Cone attach. / Chrome disc; white attachment

Bulb specification: G 6.35 12V Max 25W

Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Fabric cable

Materials:

Powder coated metal, solid polished brass or chrome, glass


Product number:

Pill box 38 attach. / Brass disc; black attachment 140OL-P03-BR01 140OL-P03-BR02 Pill box 38 attach. / Brass disc: white attachment 140OL-P03-CH01 Pill box 38 attach. / Chrome disc; black attachment 140OL-P03-CH02 Pill box 38 attach. / Chrome disc; white attachment

Bulb specification: G 6.35 12V Max 25W

Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Fabric cable

Materials:

Powder coated metal, solid polished brass or chrome, glass

Product number:


140OL-P04-BR01 Half dome attach. / Brass disc; black attachment 140OL-P04-BR02 Half dome attach. / Brass disc; white attachment 140OL-P04-CH01 Half dome attach. / Chrome disc; black attachment 140OL-P04-CH02 Half dome attach. / Chrome disc; white attachment

Bulb specification:

G 6.35 12V Max 25W

Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Metal rod

Materials:

Powder coated metal, solid polished brass or chrome, glass and metal rod


Product number:

140OL-P05-BR01 Cone attach. / Brass disc; black attachment and rod 140OL-P05-BR02 Cone attach. / Brass disc; white attachment and rod 140OL-P05-CH01 Cone attach. / Chrome disc; black attachment and rod 140OL-P05-CH02 Cone attach. / Chrome disc; white attachment and rod

Bulb specification:

G9 max 25W Halogen or LED equivalent Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Metal rod

Materials:

Powder coated metal, solid polished brass or chrome, glass and metal rod


Product number:

140OL-P06-BR01 Pill box 27 attach. / Brass disc; black attach. and rod 140OL-P06-BR02 Pill box 27 attach. / Brass disc; white attach.a and rod 140OL-P06-CH01 Pill box 27 attach. / Chrome disc; black attach. and rod 140OL-P06-CH02 Pill box 27 attach. / Chrome disc; white attach. and rod

Bulb specification:

G9 max 25W Halogen or LED equivalent Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Metal rod

Materials:

Powder coated metal, solid polished brass or chrome, glass and metal rod


Product number:

140OL-P07-BR01 Pill box 38 attach. / Brass disc; black attach. and rod Pill box 38 attach. / Brass disc; white attach. and rod 140OL-P07-BR02 140OL-P07-CH01 Pill box 38 attach. / Chrome disc; black attach. and rod 140OL-P07-CH02 Pill box 38 attach. / Chrome disc; white attach. and rod

Bulb specification:

G9 max 25W Halogen or LED equivalent Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20





Pendant light - Horizontal - Metal rod

Materials:

Powder coated metal, solid polished brass or chrome, glass and metal rod


Product number:

140OL-P08-BR01 Half dome attach. / Brass disc; black attach. and rod 140OL-P08-BR02 Half dome attach. / Brass disc; white attach. and rod 140OL-P08-CH01 Half dome attach. / Chrome disc; black attach. and rod 140OL-P08-CH02 Half dome attach. / Chrome disc; white attach. and rod

Bulb specification:

G9 max 25W Halogen or LED equivalent Recommended bulb size: diameter 16mm x total length 47mm (diameter must be under 20 mm)

230V IP20



Ceiling attachmnet options

Fabric covered cable version


Standard fabric cable length 1.5 m Fabric cable adjustable.


140OL-P01




140OL-P03

140OL-P04









Solid metal rod version

140OL-P05





140OL-P07



140OL-P08

