#### PRODUCT

One 184 Floor light / Globe / Slanted base

## MATERIALS AND COLOUR OPTIONS Powder coated metal or brushed brass; brass joint;

Powder coated metal or brushed brass; brass joint; white glass

#### VERSIONS

Brushed brass structure; brass joint Black structure; brass joint White structure; brass joint

nt 184OL-F01-BR01 184OL-F01-ME01 184OL-F01-ME02

## TECHNICAL DETAILS

1 x E27 LED 10W max (US: E26) 110-230V IP20 Light bulb not included

WEIGHT 12 kg


CABLE LENGTH 2,00 m

#### DIMMABLE

The standard version is not dimmable; we do however offer thr LED dimmer with Trailing edge technology upon request

MADE IN Germany





Sizes in mm. Flat attachments available only under request. Variations in colour and size are available for some collections, please contact Areti for more details.

#### PRODUCT

One 184 Floor light / Globe / Cross base

## MATERIALS AND COLOUR OPTIONS

Powder coated metal or brushed brass; brass joint; white glass

### VERSIONS

Brushed brass structure; brass joint Black structure; brass joint White structure; brass joint

184OL-F02-BR01 184OL-F02-ME01 184OL-F02-ME02

## TECHNICAL DETAILS

1 x E27 LED 10W max (US: E26) 110-230V IP20 Light bulb not included

WEIGHT 12 kg


CABLE LENGTH 2,00 m

#### DIMMABLE

The standard version is not dimmable; we do however offer thr LED dimmer with Trailing edge technology upon request

MADE IN Germany





Sizes in mm. Flat attachments available only under request. Variations in colour and size are available for some collections, please contact Areti for more details.

#### PRODUCT

One 184 Floor light / Cone / Slanted base

### MATERIALS AND COLOUR OPTIONS Powder coated metal or brushed brass; brass joint;

Powder coated metal or brushed brass; brass joint; white glass

### VERSIONS

Brushed brass structure; brass joint Black structure; brass joint White structure; brass joint

184OL-F03-BR01 184OL-F03-ME01 184OL-F03-ME02

### TECHNICAL DETAILS

1 x E27 LED 10W max (US: E26) 110-230V IP20 Light bulb not included

WEIGHT 12 kg

CABLE LENGTH 2,00 m

#### DIMMABLE


The standard version is not dimmable; we do however offer thr LED dimmer with Trailing edge technology upon request

### NOTE

Mirrored bulbs reflect a lot of heat back to the lamp holder. Depending on the space around the lamp holder, the heat might build up above the recommended temperature, especially if the heat is trapped when moving upwards. For this reason, the max. wattage indicated does not apply to mirrored bulbs, but to non mirrored bulbs only. If mirrored bulbs are desired, only those with a low wattage (such as LEDS) should be used. The max. wattage for mirrored bulbs is 5 watt LED (equivalent of 40 watt traditional bulb)

MADE IN Germany





Sizes in mm. Flat attachments available only under request. Variations in colour and size are available for some collections, please contact Areti for more details.

#### PRODUCT

One 184 Floor light / Cone / Cross base

## MATERIALS AND COLOUR OPTIONS

Powder coated metal or brushed brass; brass joint; white glass

### VERSIONS

Brushed brass structure; brass joint Black structure; brass joint White structure; brass joint 184OL-F04-BR01 184OL-F04-ME01 184OL-F04-ME02

### TECHNICAL DETAILS

1 x E27 LED 10W max (US: E26) 110-230V IP20 Light bulb not included

WEIGHT 12 kg

CABLE LENGTH 2,00 m

#### DIMMABLE


The standard version is not dimmable; we do however offer thr LED dimmer with Trailing edge technology upon request

### NOTE

Mirrored bulbs reflect a lot of heat back to the lamp holder. Depending on the space around the lamp holder, the heat might build up above the recommended temperature, especially if the heat is trapped when moving upwards. For this reason, the max. wattage indicated does not apply to mirrored bulbs, but to non mirrored bulbs only. If mirrored bulbs are desired, only those with a low wattage (such as LEDS) should be used. The max. wattage for mirrored bulbs is 5 watt LED (equivalent of 40 watt traditional bulb)

MADE IN Germany





Sizes in mm. Flat attachments available only under request. Variations in colour and size are available for some collections, please contact Areti for more details.