



F1080075 Brick Red

# **Bellhop Wall Up**

Designed by Edward Barber and Jay Osgerby, 2022




17W - 1314lm - 2700K - CRI> 90

Designed by Edward Barber and Jay Osgerby Indirect light wall lamp. Body in colored polycarbonate. Diffuser made of semi-transparent injection-moulded polycarbonate. The surface of the diffuser has been designed with a special texture to enhance the uniformity of the light distribution. High efficiency LED source with a lifetime of more than 50.000 hours. The LED source can be easily replaced on site by a professional installer when it comes to the end of its lifecycle. Bellhop Wall Up is a future-proof lamp as no glue is used to assemble its different parts. The product can therefore be separated, replaced individually, and recycled separately.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



# Main specifications

EAN	8059607047835
Mounting	Wall
Environments	Indoor Outdoor damp location
Light Source Type	LED
LED type	LED Module
Power (W)	17
System power (W)	17
System flux (lm)	1314

#### **Physical**

Colour	Brick Red
Length (mm)	150
Net weight (kg)	1.2
Package height (mm)	154
Package width (mm)	225
Package length (mm)	272
Package volume (m3)	0.01
IP internal	44

#### Download

Mounting instructions	<b>⊥</b> PDF
Compatible dimmers	<b>业</b> PDF
Spare Parts	<b>业</b> PDF

#### Photometric Files

LDT / IES



## **Technical Drawings**

2D	<b>⊥</b> DWG
3D	<b>⊥</b> ZIP



















https://professional.flos.com/en/global/product/bellhop-wall-up-f1080075/

F1080075

# Schematic light drawing



Beam Angle:		108
h(m)	E(lx)	D(n
1	479	2.7
2	120	5.5
3	53	8.3
4	30	11.1

# 19 13.88 5

# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class G



Replaceable (LED only) light source by a professional


#### Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric
CCT (K)	2700
CRI>	90

#### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Driver	Integrated
Dimmable	Yes
Dimming type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)

## **Spare Parts**



01. Bellhop W Transparent Difusser RF32828

02. LED Board for Bellhop Wall Up RF1080100

DOWNLOAD





RF32828

Bellhop W Transparent Difusser

SSARVING/When visiting and whenever acting on the appliance, ensure that the power study has been switched off.
For the relations of the queer part, it is recovery to consult a question debations.
OCCST the as All presented in week dates.

RF1080100

LED Board for Bellhop Wall Up