

## Glo-Ball Ceiling/Wall Zero

Designed by Jasper Morrison, 2009

Halogen - 60W

Wall or ceiling lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection molded polyamide base. Gray painted, die-cast aluminum diffuser support.

Are you a professional and your project needs consulting and support?


**BOOK AN APPOINTMENT** 

#### Main specifications

EAN	8059607019344
Mounting	Ceiling and wall surface
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E14
Ilcos	HSGS
Number of heads	1
Power (W)	60

### Physical

Colour	White
Net weight (kg)	1
Package height (cm)	23
Package width (cm)	27
Package length (cm)	26
Package volume (m3)	0.02
IP	20



Download	
Mounting instructions	<b>业</b> PDF
Spare Parts	<b>业</b> PDF
Photometric Files	
LDT / IES	<u>↓</u> LDT
Technical Drawings	
2D	<u>↓</u> ZIP
3D	.↓. ZIP



















https://professional.flos.com/en/global/product/glo-ball-ceiling-wall-zero-f3335009/

F3335009

### Schematic light drawing



790 lm

#### **Photometric**


Lighting type	Total
Light distribution	Roto symmetric


#### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Batteries inside	No
Charging min time	No









**NOT INCLUDED** 

RF32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28

NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V 2700K T28 **NOT INCLUDED** 

RF32768

LED Lamp 9W E14 220-240V 3000K T28

# **Spare Parts**





RF18844

Lamp holder fitting e14

RF3335100

Glo-Ball Ceiling/Wall/Basic Zero diffuser assembly