

Lampadina

Designed by Achille Castiglioni, 1972

LED retrofit - 5W - 241lm - 2700K



Table lamp providing direct, diffused light. Anodized aluminum base serves to contain excess power cord. Bakelite lamp-holder, painted to match the switch in the orange and black colors. Clear globe lamp is partially sandblasted to diffuse the light.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607033289
Mounting	Table
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	LED retrofit
Lamp type	G125
Lamp holder	E27
Bulb finish	Semifrosted
Number of heads	1
Power (W)	5
System flux (lm)	241

Physical

Colour	White
Cord length (mm)	2300
Net weight (kg)	0.35
Package volume (m3)	0.01
IP	20
IP external	20



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D <u>↓</u> ZIP 3D <u>↓</u> ZIP













IK	
00	



https://professional.flos.com/en/global/product/lampadina-f3299009/

F3299009

Schematic light drawing



Luminous flux luminaire 241 lm The above drawing is for illustrative purposes only and refers to product code: F32990WLAMPADINA_LED_NE2020_2W-LED

Photometric

Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	230
Dimmable	No
Dimming interface	Switch Integrated (Not Dimmable)
Cord length (mm)	2300
Plug type	Туре С
Batteries inside	No
Charging min time	No

Bulbs



INCLUDED

RF32797

LED Lamp 2W lm E27 230V 2700K G125 Regulable