

FLOS

■ F038AAAA0ZZ Black

Mayday Outdoor


Designed by Konstantin Grcic, 2000



Socket for E14 bulb, light source not included. 220-240 V ON/OFF electric power supply. IP65 switch on the handle of the luminaire. It has a 6 meter long cable for outdoor use and an IP44 Schuko plug.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

Mounting	Hand lamp
Environments	Outdoor wet location
Lamp category	LED retrofit
Lamp holders	E14
Number of heads	1
Power (W)	max 10

Physical

Colour	Black
Orientation	Fixed
Net weight (kg)	0.9
IP internal	65

Download

[Mounting instructions](#)  ZIP

Photometric Files


[LDT / IES](#)  ZIP

[LDT / IES](#)  ZIP


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Photometric

Lighting type Direct

Electrical

Insulation class	II
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	No
Emergency type	No

Notes

Bulb not included. LED: max 10W - E14

Bulbs



NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28