

### Mini Glo-Ball Ceiling/Wall Mirror

Designed by Jasper Morrison, 2002

Halogen - 25W

Lamp for ceiling, wall or mirror providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a white, injection-molded PPS threaded ring nut. Injection-molded PPS white mirror ring nut. MIRROR HOLE: Ø 35 mm.

Are you a professional and your project needs consulting and support?

**BOOK AN APPOINTMENT** 

## ø 60 mm ø 112 mm

85 mm

#### Main specifications

EAN	8059607019986
Mounting	Mirror mounted
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	G9
Ilcos	HSGS
Number of heads	1
Power (W)	25

#### **Physical**

Colour	White
Net weight (kg)	0.29
Package height (cm)	19
Package width (cm)	19
Package length (cm)	19
Package volume (m3)	0.01
IP	40
IP external	40



ounting instructions	<u>↓</u> PDF
pare Parts	<b>↓</b> PDF

#### Photometric Files

LDT / IES



#### **Technical Drawings**

2D	<u>↓</u> ZIP
3D	.↓. ZIP



40

















https://professional.flos.com/en/global/product/mini-glo-ball-ceiling-wall-mirror-f4190009/

F4190009

#### Schematic light drawing



Luminous flux luminaire


The above drawing is for illustrative purposes only and refers to product code: F4194009WMINI\_GLO-BALL\_CW\_25W-HL


#### Photometric

# Lighting type Total Light distribution Roto symmetric

#### **Electrical**

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Batteries inside	No
Charging min time	No





**NOT INCLUDED** 

RF26520

LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable

**NOT INCLUDED** 

RF28425

LED BiPin Lamp G9 3W 2700K Non Dimmable

## **Spare Parts**





RF4190400

Mini Glo-Ball Ceiling/Wall & Table new diffuser assembly

RF4190300

Ring nut & gasket kit