



Ray Suspension

Designed by Rodolfo Dordoni, 2007



Halogen - 250W

Suspension lamp providing direct or diffused lighting. Chrome-plated metal structure and lathe-shaped aluminum diffusers, painted white on the inside, and shiny white or black on the outside or gray-colored, blown and overlaid glass with glossy external finish. Liquid paint protection. Opal blown glass inner diffuser. White painted steel ceiling attachment protected with transparent paint, and polished aluminum cover.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

270 mm 2700 mm 430 mm

Main specifications

EAN	8059607020838
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	Black
Cord length (mm)	2700
Net weight (kg)	3.8
Package height (cm)	50
Package width (cm)	58
Package length (cm)	58
Package volume (m3)	0.17
IP	20



Mounting instructions	↓ PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES



Technical Drawings

2D	<u>¥</u>	ZIP
3D	上	ZIP



















https://professional.flos.com/en/global/product/ray-suspension-f5931030/

F5931030

Schematic light drawing



Photometric

Lighting type Indirect, Direct Light distribution Symmetric

Electrical

Insulation class	ſ
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2700
Batteries inside	No
Charging min time	No





NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K DIMMER **NOT INCLUDED**

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable

Spare Parts





4mt steel wire Ø1,2 with 19 winded wires



RF10346

Ceramic lamp holder E27



RF29665

3 mt steel cable ø1,2 with 19 winded wires



RF4190200

5 meter sil/fep 2x0,75 transparent electrical cable



RF6110800

Kit with brass wire clamps and screws



RF16082

F2-S diffuser



RF16978

Transparent external diffuser support



RF5931100

Ceiling rose assembly



RF5931200

Internal diffuser assembly