



Romeo Outdoor C3 Pvc (71 cm) Green wall


Designed by Philippe Starck



Light source not included.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

| EAN | 8059607006450 |
|-------------------|----------------------|
| Mounting | Ceiling |
| Environments | Outdoor wet location |
| Light Source Type | Bulb |
| Lamp holders | E27 |
| Ilcos | HSGS |
| Number of heads | 1 |
| Power (W) | 250 |

Physical

| Colour | Green Wall |
|---------------------|------------|
| Orientation | Fixed |
| Net weight (kg) | 5.9 |
| Package volume (m3) | 0.27 |
| IP internal | 55 |

Download

| 50 miloda | | |
|-----------------------|--------------------|---|
| Mounting instructions | $\underline{\bot}$ | F |
| Mounting instructions | $\overline{\bot}$ | F |

Photometric Files

LDT / IES



55

Schematic light drawing



| Beam A | Angle DI | R: 92° |
|--------|----------|--------|
| h(m) | E(lx) | D(m) |
| 1 | 182 | 2.07 |
| 2 | 46 | 4.15 |
| 3 | 20 | 6.22 |
| 4 | 11 | 8.29 |
| 5 | 7 | 10.36 |

Photometric

| Lighting type | Direct |
|------------------------|-----------|
| Light distribution | Symmetric |
| Beam angle C0-180 (°) | 78 |
| Beam angle C90-270 (°) | 78 |

Electrical

| Insulation class | 1 |
|--------------------|---------|
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| Emergency type | No |
| Batteries inside | No |
| Charging min time | No |

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.





NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K DIMMER

NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable



03. Ceramic lamp holder E27

RF10346

https://professional.flos.com/en/global/product/romeo-outdoor-c3-pvc-71-cm-green-wall-f6468041/

F6468041



RF10346

Ceramic lamp holder E27