

FLOS

F6469041 Green Wall

Romeo Outdoor C3 Pvc (91 cm) Green wall


Designed by Philippe Starck



Light source not included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications

Mounting	Ceiling surface
Environments	Outdoor wet location
Icos	No

Physical

Colour	Green Wall
Trim	No
Orientation	Fixed
Net weight (kg)	7.5
IP internal	55
IP external	55

Download


[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP

IP	IP
55	55

Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Symmetric
Beam angle C0-180 (°)	74
Beam angle C90-270 (°)	74

Electrical

Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Emergency type	No

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K
We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable