

# FLOS

F6310004 Silver

## Stylos

Designed by Achille Castiglioni, 1984


Halogen - 2 x 220W



Floor lamp providing indirect and diffused light. Silver powder-coated steel base. Opaline extruded polymethylmethacrylate (PMMA) diffuser column. Functions ON/OFF of two placed luminous sources at the extremities of the diffuser of the apparatus, happen by means of interrupting double quantity to pedal mounted on the cable feeding electrical worker.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607006238
Mounting	Floor
Environment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Iicos	IAM/W + IPAR
Number of heads	2
Power (W)	220

### Physical

Colour	Silver
Cord length (mm)	2850
Net weight (kg)	9.85
Package volume (m3)	0.15
IP	20
IP external	20

### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF


### Photometric Files

[LDT / IES](#)  LDT


### Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



## Schematic light drawing



Luminous flux luminaire  
3780 lm

The above drawing is for illustrative purposes only and refers to product code: F6310004WSTYLOS\_120-150W-INC


### Photometric

Lighting type	Total
Light distribution	Symmetric

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2850
Plug type	Type F
Batteries inside	No
Charging min time	No

## Bulbs



### INCLUDED

RF26998

LED 21W E27 2450lm 3000K

DIMMER




### NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K

A65 Dimmable

# Spare Parts



F6320004

Base



RF03631

Double Black switch



RF05861

Polycarbonate spacer



RF6320100

Top lamp holder assembly



RF6330000

Stylos external diffuser



RF6330100

Kit of n.3 diffuser bracket supports



RF6330200

Kit of screws and metal bracket for diffuser assembly