



## Taccia Small

Designed by Achille and Pier Giacomo Castiglioni, 1962



16W - N/Dlm - 2700K

Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent blown glass. Body in matt black or naturally anodized extruded aluminium. Base in nickel-plated ABS+PC. Electric cable of useful length 190 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

# 485 mm 6 373 mm 142 mm 9 142 mm

## Main specifications

EAN	8059607006740
Mounting	Table floor
Enviroment	Indoor dry location
Light source type	LED
LED type	LED array
Lamp holder	COB LED
Number of heads	1
Power (W)	16
System flux (lm)	N/D

### **Physical**

Colour	Black
Cord length (mm)	1900
Net weight (kg)	4.25
Package volume (m3)	0.11
IP	20
IP external	20

## Download

Download	
Mounting instructions	<b>↓</b> PDF
Mounting instructions	<b>↓</b> PDF
Spare Parts	<b>⊥</b> PDF

# 9















IP 20

# Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

https://professional.flos.com/en/global/product/taccia-small-f6604030/

F6604030

#### **Photometric**

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700

#### **Electrical**

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/24
Driver	Remote included
Dimming type	Electronic 12V
Cord length (mm)	1900
Plug type	Type G, Type A, Type C
Batteries inside	No
Charging min time	No

# **Spare Parts**









F6605030

Taccia Small LED black base



F6606000

Taccia Small transparent diffuser & reflector

RF24886

White reflector

RF3320100

Black plug assembly kit & 24V driver



RF6605100

Jack plug with coaxial cable and