

FLOS

F7401009 White

Taraxacum 1

Designed by Achille and Pier Giacomo Castiglioni, 1960



Halogen - 100W

Suspension lamp providing diffused light. White powder coated internal steel structure sprayed with a unique cocoon resin to create the diffuser which is then protected by a transparent sprayed on finish.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications


| | |
|-------------------|---------------------|
| EAN | 8059607023488 |
| Mounting | Suspension |
| Environment | Indoor dry location |
| Light source type | Bulb |
| Lamp category | Halogen |
| Lamp holder | E27 |
| Ilcos | HSGS |
| Number of heads | 1 |
| Power (W) | 100 |

Physical

| | |
|---------------------|-------|
| Colour | White |
| Cord length (mm) | 2700 |
| Net weight (kg) | 2.1 |
| Package height (cm) | 52 |
| Package width (cm) | 72 |
| Package length (cm) | 72 |
| Package volume (m3) | 0.27 |
| IP | 20 |
| IP external | 20 |



Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT

Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP



| | |
|----|----|
| IK | IP |
| 00 | 20 |

Schematic light drawing



Photometric

| | |
|--------------------|------------|
| Lighting type | Total |
| Light distribution | Asymmetric |

Electrical

| | |
|--------------------|---------|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Cord length (mm) | 2700 |
| Batteries inside | No |
| Charging min time | No |

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



RA3690209

White rose assembly



RF9800200

Electrical assembly set