


Tatou Floor

Designed by Patricia Urquiola, 2012





Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| EAN | 8059607007426 |
|-------------------|---------------------|
| Mounting | Floor |
| Enviroment | Indoor dry location |
| Light source type | Bulb |
| Lamp category | Halogen |
| Lamp holder | E27 |
| Ilcos | HSGS |
| Number of heads | 1 |
| Power (W) | 205 |

Physical

| Colour | Ochre-Grey |
|---------------------|------------|
| Cord length (mm) | 1700 |
| Net weight (kg) | 16.4 |
| Package volume (m3) | 0.59 |
| IP | 20 |
| IP external | 20 |



${\sf Download}$

| Mounting instructions | <u>↓</u> PDF |
|-----------------------|--------------|
| Spare Parts | .↓. PDF |

Photometric Files

LDT / IES



Technical Drawings

| 2D | <u>↓</u> Z | ΙP |
|----|------------|----|
| 3D | <u>↓</u> Z | ΙP |



20















Schematic light drawing



Luminous flux luminaire

The above drawing is for illustrative purposes only and refers to product code: F7764048WTATOU_F_205W-HL

Photometric

Lighting type Indirect, Direct Light distribution Asymmetric

Electrical

| Insulation class | II |
|--------------------|---------|
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| Cord length (mm) | 1700 |
| Plug type | Type C |
| Batteries inside | No |
| Charging min time | No |





NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K DIMMER NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable

Spare Parts









F7755048

F-S2 ochre-grey assembly diffuser

RF3020100

Kit of 5 white feed pads for base

RF7755100

Kit with screws for f-s2 opal reflector assembly

RF7755200

F-S2 reflector assembly



RF29978

1012S dimmer 100-240v 4-250whl 4-25w