

Toio Led

Designed by Achille and Pier Giacomo Castiglioni, 1962



LED retrofit - 23W

Floor lamp providing indirect lighting. Angle iron and formed steel base, painted in a variety of colors. Hexagonal nickel-plated brass height-adjustable stem with telescopic head. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607007266	
Mounting	Floor	
Enviroment	Indoor dry location	
Light source type	Bulb	
Lamp category	LED retrofit	
Lamp holder	der Gx16d	
Power (W)	23	

Physical

Colour	Black
Cord length (mm)	2470
Net weight (kg)	8.2
Package volume (m3)	0.12
IP	20
IP external	20



Download	
Mounting instructions	业 PDF
Spare Parts	<u>↓</u> PDF
Photometric Files	
LDT / IES	<u>↓</u> LDT
Technical Drawings	
2D	⊥ ZIP
3D	.↓. ZIP













https://professional.flos.com/en/global/product/toio-led-f7630030/

F7630030

Schematic light drawing



Beam	Beam Angle:	
h(m)	E(lx)	D(m)
1	751	2.53
2	188	5.06
3	83	7.59
4	47	10.12
5	30	12.64


Photometric

Lighting type	Indirect	
Light distribution	Roto symmetric	

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Cord length (mm)	2470
Plug type	Туре С
Batteries inside	No

Bulbs



INCLUDED

RF32297

LED Lamp 20W Gx16d 220-240V 2500K PAR56

Spare Parts



RF02580

RF05784

P2001 6a 250v fuse holder

Lamp base



RF02774

Nickel plated brass cage



RF02775

Rod




RF04607

Electrical wiring from transformer to bulb



RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w



RF28230

Toio switch dimmer & wiring assembly



RF7600100

Wire loop assembly





RF06730

RF06732

Cable winder support

Nickel knob