

FLOS

■ F9550030 Black

Wan Ceiling/Wall

Designed by Johanna Grawunder, 2005




Halogen - 40W

Wall or ceiling fixture providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to block the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications


EAN	8059607024188
Mounting	Ceiling and wall surface
Environment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	G9
Ilcos	HSG
Number of heads	1
Power (W)	40

Physical

Colour	Black
Net weight (kg)	0.62
Package height (cm)	14
Package width (cm)	14
Package length (cm)	15
IP	40
IP external	40

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Beam Angle: 68°

h(m)	E(lx)	D(m)
1	147	1.35
2	37	2.70
3	16	4.05
4	9	5.40
5	6	6.75

Luminous flux luminaire
460 lm

The above drawing is for illustrative purposes only and refers to product code: F95500WWAN_CW_40W-HL

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K

HALOPIN Dimmable

Spare Parts



RF13990
External ring



RF14546
External ring



RF9550130
Reflector / ring assembly



RF9550139
External ring



RF9550200
Wan glass assembly



RF9550300
New type attachment assembly
with g9 lamp holder and safety
ring