



Wan Suspension

Designed by Johanna Grawunder, 2006

Halogen - 40W

Suspension lamp providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to fix the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607024201
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	G9
Ilcos	HSG
Number of heads	1
Power (W)	40

Physical

Colour	Black
Cord length (mm)	2800
Net weight (kg)	0.85
Package height (cm)	14
Package width (cm)	13
Package length (cm)	25
IP	20
IP external	20



Download

ounting instructions	₹ bdt
pare Parts	↓ PDF

Photometric Files

LDT / IES

⊥ LDT

Technical Drawings

2D	⊥ ZIP
3D	▼ ZIP

















https://professional.flos.com/en/global/product/wan-suspension-f9560030/

F9560030

Schematic light drawing



Beam Angle:		68°
h(m)	E(lx)	D(m)
1	147	1.35
2	37	2.70
3	16	4.05
4	9	5.40
5	6	6.75

Luminous flux luminaire 460 lm

The above drawing is for illustrative purposes only and refers to product code: F95600WWAN_S_40W-HL


Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2800
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K HALOPIN Dimmable

Spare Parts









RF13990

External ring

RF14546

External ring

RF9550130

Reflector / ring assembly

RF9550139 External ring

2





RF9550200

Wan glass assembly

RF9560130

Black rose assembly

RF9560200

G9 lamp holder with inner ring and 2,5mt of eletrical cable